

Contact information:

Name
Title
Department

Phone
Web/Fax
E-mail

Name
Title
Department

Phone
Web/Fax
E-mail

COMPATIBILITY OVERVIEW FOR
CISCO



jabra.com/cisco

JABRA - CISCO
COMPATIBILITY GUIDE

Jabra®



PROFESSIONAL HEADSETS

STAY IN TOUCH THROUGHOUT THE OFFICE

JABRA EVOLVE™ SERIES

- Made for voice and music
- Passive noise cancellation and
- Active noise cancellation - EVOLVE 80
- Busylight - EVOLVE 40, 65 and 80
- Discrete boom arm - EVOLVE 40, 65 and 80
- Smartphone & Tablet Ready - EVOLVE 40, 65 and 80
- Listen in - EVOLVE 80

JABRA MOTION™ OFFICE – STAY IN TOUCH WHEREVER YOU GO

- One headset for all your phones
- Touch screen/touch sensors for optimum call control
- Multiuse connectivity: mobile phone, softphone and desk phone
- Easy installation with SmartSetup wizard
- Wideband sound and Digital Signal Processing for clearer calls
- Dual microphone Noise Blackout™
- Easy call-handling with PC Call Manager, keyboard shortcuts and dial pad for mobile and softphones
- Up to 100 m / 300 ft wireless *Bluetooth®* range (25 m / 80 ft for mobile phone)¹

JABRA PRO™ 9400 SERIES – STAY IN TOUCH AROUND THE OFFICE

- One headset for all your phones
- Touch screen/touch sensors for optimum call control
- Multiuse connectivity: desk phone, softphone and mobile phone
- Easy installation with SmartSetup wizard
- Wideband sound and Digital Signal Processing for clearer calls
- Dual microphone Noise Blackout™ or Noise-cancelling microphone variants
- Easy call-handling with PC Call Manager, keyboard shortcuts and dial pad for mobile and softphones
- Up to 150 m / 450 ft wireless range¹

DID YOU KNOW?

Ready for Unified Communications (UC). Jabra UC-ready headsets offer true wideband sound and plug-and-play capability with UC systems from leading Jabra suppliers.
Learn more at: www.jabra.com/uc



Image shows the Jabra Jabra Evolve™ 80.















Image shows the Jabra MOTION™ Office with base station and touch screen.



Image shows the Jabra PRO™ 9470 with dual microphone Noise Blackout technology.

CUSTOMIZED

FOUR SIMPLE STEPS TO THE BEST HEADSET SELECTION FOR YOUR CUSTOMERS

1. WHAT IS YOUR PREDOMINANT WORK ENVIRONMENT?			
AT OFFICE DESK  ↓ Corded headset	AROUND THE OFFICE  ↓ Wireless headset	ON THE ROAD  ↓ Wireless multiuse headset	ADVANTAGES OF WIRELESS HEADSETS <ul style="list-style-type: none">- Better freedom of movement- Accepting calls while away from the workstation- Privacy option for difficult calls- Built-in narrowband and wideband audio feature
2. IN WHICH ENVIRONMENT WILL YOU BE USING THE HEADSET?			
 ↓ Single office or home office environment	 ↓ Open office environment	 ↓ Contact center or noisy office environment	HEADSETS WILL HELP OPTIMIZE YOUR WORK ENVIRONMENT BECAUSE THEY ... <ul style="list-style-type: none">- Protect you from sudden noise peaks- Keep the reception volume under 85 dB- Lower the noise level in the office- Filter background noises- Offer the best voice and sound quality
3. HOW MANY PEOPLE SHARE YOUR OFFICE?			
 ↓ Less people Mono headset		 ↓ More people Duo headset	MONO HEADSETS <ul style="list-style-type: none">- Best choice for quiet/moderate noise office environments- Interchangeable with three wearing styles- Does not shield external noise completely- Conversation with colleagues is possible DUO HEADSETS <ul style="list-style-type: none">- Best solution for noisy office environments- Lower the noise level- Hearing quality increases- Ability to concentrate improves
4. WHAT DEVICES WILL BE CONNECTED TO THE HEADSET?			
 ↓ Computer (softphone client)	 ↓ Mobile phone	 ↓ Desk phone	ADVANTAGES OF HEADSETS <ul style="list-style-type: none">- Future-proof thanks to seamless connection to all devices- Interface between conventional desk phone, IP-based PC telephony and mobile phone- Hands-free conversations- Strain relief for shoulder and neck muscles- More flexibility and fun while working- A professional appearance
 ↓ Multiuse			

¹ Range varies according to the environment in which the headset is used

HEADSETS WITH SEAL OF APPROVAL

Certifications are a recognised quality feature for all products. They not only guarantee compliance with manufacturer-specific standards, but also ensure the availability of additional functionality

PARTNERSHIP AND TECHNOLOGY PARTNER STATUS



AS INDIVIDUAL AS YOU ARE

Three different wearing styles offer flexibility and comfort

HEADBAND



NECKBAND



EARHOOK



WIRELESS SOLUTIONS FOR CISCO PHONES



<div>1</div> <div>SELECT AN EXISTING PHONE</div>												
<div>2</div> <div>LINK OPTIONS AND RHL/EHS/RCC REQUIREMENTS</div>												
<div>3</div> <div>MATCHING HEADSET</div>												

<div>MEANING OF ARROW COLOURS</div>
<div>→</div> <div>EHS HEADSET</div> <div>Call acceptance is possible directly from the headset (Electronic Hook Switch)</div>
<div>→</div> <div>STANDARD HEADSET</div> <div>The phone does not support electronic call acceptance, EHS (Electronic Hook Switch)</div>
<div>→</div> <div>VOIP</div> <div>Softphone. Headsets for use with computers or VoIP softphones</div>

WIRELESS SOLUTIONS FOR CISCO CONFERENCE UNITS AND SOFT PHONES









<div>1</div> <div>SELECT AN EXISTING PHONE</div>							
<div>2</div> <div>LINK OPTIONS AND RHL/EHS/RCC REQUIREMENTS</div>							
<div>3</div> <div>MATCHING HEADSET</div>							

¹ From Cisco Firmware version 9.0(3). This connection is via the phone USB port
² Required software version: Minimum Value Pack 2 – Value Pack 2 and Value Pack 3 can be downloaded via Jabra PC Suite
³ Webex Connect 7.2.6 enables Plug and Play call control with Jabra USB devices (Jabra Direct is not needed)
⁴ Direct connect via USB. EHS adaptor 14201-30 not needed.
⁵ No EHS via BT with Cisco Jabber (iPhone), Cisco Jabber (iPad) and Android
⁶ RCC available from firmware version 9.3(3)
⁸ No RCC, audio only





CORDED SOLUTIONS FOR CISCO PHONES




1 SELECT AN EXISTING PHONE	Unified IP Phone 6921 6941 6945 ⁸ 6961	Unified IP Phone 6911 ⁸ 6901 ⁸	Unified IP Phone 7821 / 7841 / 7861	Unified IP Phone 7902 ⁷ 7905 ⁷ 7911 ⁷ 7912 ⁷	Unified IP Phone 7931 / 7940 7940 G / 7941 7942 G / 7945 G 7962 G / 7965 G	Unified IP Phone 7960 / 7960 G / 7961 7970 / 7970 G 7971G / 7975G	Unified IP Phone Unified IP Phone 8811 / 8841 8851 / 8861 8845 / 8865	Unified IP Phone 8941 / 8945	Unified IP Phone 8961 9951 9971	Cisco Wireless IP Phone (WLAN) 7920 7921G 7925G ⁶ 7926G ⁶	Cisco DX650 Cisco Jabber for iPad Cisco Jabber for iPhone Cisco Jabber for Android	VXME VXC 6215 Cisco DX650	Cisco Jabber Cisco Jabber for Mac Cisco Spark	Cisco IP Communicator (CIPC) ³	CUPC CUCILync WebEx Connect	Unified IP Phone 8961 / 9951 9971 / 8851 8861 / 8865					
2 LINK OPTIONS	<div> Amplifier 101 Jabra GN8210</div> <div>OR</div> <div> 104 Jabra GN1200</div> <div>OR</div> <div> 97 Jabra LINK 850 98 Jabra LINK 860 (QD-USB)</div> <div>OR</div> <div> 116 Connector cable (QD-2,5mm Jack)</div> <div>OR</div> <div> 115 Connector cable (QD-3,5mm Jack)</div>												<div>RCC. No additional drivers needed</div> <div>Cisco Jabber 9.2 RCC with Jabra PC Suite. Cisco Jabber 9.6 or later RCC No additional Drivers needed. (On Win XP) require Jabra Direct to enable RCC. Cisco Jabber for Mac Audio Only</div> <div>Cisco Spark Audio Device only</div> <div> 96 Jabra LINK 280 (QD-USB) RCC possible</div> <div>OR</div> <div><div>RCC with Jabra Direct from CIPC version 2.0.1.1</div><div>Jabra Direct is not needed for CIPC version 7.0(3) or higher</div><div> 95 Jabra LINK 220 (QD-USB) No RCC, volume and mute control</div><div>OR</div><div><div>RCC with Jabra Direct from CUPC and CUCILync</div><div>RCC without Jabra PC Suite for WebEx Connect from version 9.2.6</div><div> 97 Jabra LINK 850 98 Jabra LINK 860 (QD-USB) No RCC</div></div><div>RCC possible with Jabra BIZ 2400 USB Jabra BIZ 2300 USB Jabra EVOLVE 20,30,40,80 Jabra UC Voice 550, Jabra UC Voice 750 Jabra Handset 450 or Jabra LINK 280 No additional drivers needed.¹</div></div>								
3 MATCHING HEADSET	<div>28 30 Jabra BIZ 2400 II</div> <div>35 36 37 38 Jabra GN2100</div> <div>39 40 41 42 Jabra GN2000²</div> <div>49 50 Jabra BIZ 1900</div> <div>130 131 Jabra BIZ 2300</div>												<div>31 32 Jabra BIZ 2400 II USB</div> <div>43 44 45 46 Jabra GN2000 USB</div> <div>51 52 Jabra BIZ 1900 USB⁴</div> <div>65 66 Jabra UC VOICE 550</div> <div>120 121 Jabra HANDSET 450 for CISCO</div> <div>136 137 Jabra BIZ 2300 USB</div> <div>61 62 63 64 Jabra UC VOICE 750</div> <div>68 69 Jabra UC VOICE 150⁵</div> <div>67 Jabra UC VOICE 250</div>					<div>75 Jabra SPEAK 410</div> <div>78 Jabra SPEAK 510</div> <div>79 Jabra SPEAK 510+</div> <div>76 Jabra SPEAK 810</div> <div>150 151 Jabra EVOLVE 20 UC</div> <div>152 153 Jabra EVOLVE 30 UC</div> <div>154 155 Jabra EVOLVE 40 UC</div> <div>158 Jabra EVOLVE 80 UC</div>			

MEANING
OF ARROW
COLOURS



 **EHS HEADSET**
Call acceptance is possible directly from the headset (Electronic Hook Switch)

 **STANDARD HEADSET**
The phone does not support electronic call acceptance, EHS (Electronic Hook Switch)

 **VOIP**
Softphone. Headsets for use with computers or VoIP softphones

CORDED SOLUTIONS FOR CISCO CONFERENCE UNITS


























1 SELECT AN EXISTING PHONE	7937G	E20	EX60	EX90	DX 70 / DX 80
2 LINK OPTIONS	 110 Connector cable (QD-Jack 2,5mm)	104 Jabra GN1200	 117 Connector cable (QD-2x 3,5mm Jack)	RCC. No additional drivers needed	
3 MATCHING HEADSET	28 30 Jabra BIZ 2400 II	35 36 37 38 Jabra GN2100	39 40 41 42 Jabra GN2000 130 131 132 133 Jabra BIZ 2300	49 50 Jabra BIZ 1900	<div>31 32 Jabra BIZ 2400 II USB</div> <div>43 44 45 46 Jabra GN2000 USB</div> <div>51 52 Jabra BIZ 1900 USB⁴</div> <div>65 66 Jabra UC VOICE 550</div> <div>120 121 Jabra HANDSET 450 for CISCO</div> <div>136 137 Jabra BIZ 2300 USB</div> <div>61 62 63 64 Jabra UC VOICE 750</div> <div>68 69 Jabra UC VOICE 150⁵</div> <div>67 Jabra UC VOICE 150⁵</div> <div>75 Jabra SPEAK 410</div> <div>78 Jabra SPEAK 510</div> <div>79 Jabra SPEAK 510+</div> <div>76 Jabra SPEAK 810</div> <div>150 151 Jabra EVOLVE 20 UC</div> <div>152 153 Jabra EVOLVE 30 UC</div> <div>154 155 Jabra EVOLVE 40 UC</div> <div>158 Jabra EVOLVE 80 UC</div>

¹ From Cisco Firmware version 9.0(3). This connection is via the phone USB port and simultaneous PC operation is not possible. USB cable is included with the headset
² Jabra Direct provides call control for Cisco Unified Personal Communication (CUPC), Cisco Unified Communication Integration for Microsoft® Office Communicator (CUCIMOC), Cisco Unified Communication Integration for Microsoft® Lync™ (CUCILync) and Cisco WebEx Connect 7.1.1 or higher. In addition, Cisco IP Communicator 7.0(3) and later incorporates a "Plug and Play" driver for Jabra USB headsets and speakerphone

³ RCC with Jabra Direct from CIPC version 2.0.1.1. Jabra Direct is not needed for CIPC version 7.0(3) or higher
⁴ No RCC, only volume and mute control
⁵ Jabra UC VOICE™ 150 and Jabra UC VOICE™ 250 are not compatible with Cisco Jabber for Mac
⁶ 7925G and 7926G have Bluetooth connection and all Jabra Bluetooth products will work on these phones
⁷ Applicable with Jabra GN DanaSwitch.
⁸ RCC available from firmware version 9.3(3)



WIRELESS SOLUTIONS FOR CISCO PHONES

						
JABRA MODEL	1 Jabra PRO™ 9470	2 Jabra PRO™ 9465	3 Jabra PRO™ 9460 Mono 4 Jabra PRO™ 9460 Duo	5 Jabra PRO™ 9450	6 Jabra PRO™ 9450 Mono 7 Jabra PRO™ 9450 Duo	10 Jabra PRO™ 920 Mono 16 Jabra PRO™ 920 Duo
CONNECTIVITY/ NOISE ENVIRONMENT						
MICROPHONE/ BOOM ARM	Noise Blackout™/ MidiBoom	Noise Cancelling/ FlexBoom	Noise Cancelling/ FlexBoom	Noise Cancelling/ MidiBoom	Noise Cancelling/ FlexBoom	Noise Cancelling/ Fixed
SPEAKERS	Mono	Duo	Mono/Duo	Mono	Mono/Duo	Mono/Duo
						
JABRA MODEL	8 Jabra PRO™ 925	11 Jabra PRO™ 930 Mono 16 Jabra PRO™ 930 Duo	9 Jabra PRO™ 935	16 Jabra GN9120 Mono, EHS 17 Jabra GN9120 Duo, EHS	18 Jabra GN9120 Mono 19 Jabra GN9120 Duo	20 Jabra GN9120, EHS
CONNECTIVITY/ NOISE ENVIRONMENT						
MICROPHONE/ BOOM ARM	Noise Cancelling/ Fixed	Noise Cancelling/ Fixed	Noise Cancelling/ Fixed	Noise Cancelling/ FlexBoom	Noise Cancelling/ FlexBoom	Noise Filtering/ MidiBoom
SPEAKERS	Mono	Mono/Duo	Mono	Mono/Duo	Mono/Duo	Mono
						
JABRA MODEL	21 Jabra GN9120	23 Jabra GN9120	13 Jabra MOTION UC	14 Jabra MOTION UC with Travel & charge kit	15 Jabra MOTION OFFICE	140 Jabra Stealth UC
CONNECTIVITY/ NOISE ENVIRONMENT						
MICROPHONE/ BOOM ARM	Noise Filtering/ MidiBoom	Omni Directional/ MicroBoom	Noise Blackout™	Noise Blackout™	Noise Blackout™	Noise Blackout
SPEAKERS	Mono	Mono	Mono	Mono	Mono	Mono
						
JABRA MODEL	156 Jabra Evolve 65 UC Mono 157 Jabra Evolve 65 UC Stereo					
CONNECTIVITY/ NOISE ENVIRONMENT						
MICROPHONE/ BOOM ARM	Noise Blackout™					
SPEAKERS	Mono/Duo					

CORDED SOLUTIONS FOR CISCO PHONES



						
JABRA MODEL	28 Jabra BIZ™ 2400 II Mono 30 Jabra BIZ™ 2400 II Duo	31 Jabra BIZ™ 2400 II USB Mono 32 Jabra BIZ™ 2400 II USB Duo	33 Jabra GN2100 Mono 34 Jabra GN2100 Duo	37 Jabra GN2100 Mono 38 Jabra GN2100 Duo	39 Jabra GN2000 Mono 40 Jabra GN2000 Duo	41 Jabra GN2000 Mono 42 Jabra GN2000 Duo
CONNECTIVITY/ NOISE ENVIRONMENT						
MICROPHONE/ BOOM ARM	Noise Cancelling/ FreeSpin	Noise Cancelling/ FreeSpin	Omni Directional/ MicroBoom	Noise Cancelling/ FlexBoom	Omni Directional/ SoundTube	Noise Cancelling/ FlexBoom
SPEAKERS	Mono/Duo	Mono/Duo	Mono/Duo	Mono/Duo	Mono/Duo	Mono/Duo
						
JABRA MODEL	43 Jabra GN2000 USB Mono 44 Jabra GN2000 USB Duo	45 Jabra GN2000 USB CIPC Mono 46 Jabra GN2000 USB CIPC Duo	49 Jabra BIZ™ 1900 Mono 50 Jabra BIZ™ 1900 Duo	51 Jabra BIZ™ 1900 USB Mono 52 Jabra BIZ™ 1900 USB Duo	61 Jabra UC VOICE™ 750a Mono Light 64 Jabra UC VOICE™ 750a Duo Light	62 Jabra UC VOICE™ 750a Mono Dark 63 Jabra UC VOICE™ 750a Duo Dark
CONNECTIVITY/ NOISE ENVIRONMENT						
MICROPHONE/ BOOM ARM	Noise Cancelling/ FlexBoom	Noise Cancelling/ FlexBoom	Noise Cancelling	Noise Cancelling	Noise Cancelling	Noise Cancelling
SPEAKERS	Mono/Duo	Mono/Duo	Mono/Duo	Mono/Duo	Mono/Duo	Mono/Duo
						
JABRA MODEL	65 Jabra UC VOICE™ 550a Mono 66 Jabra UC VOICE™ 550a Duo	67 Jabra UC VOICE™ 250a	68 Jabra UC VOICE™ 150a Mono 69 Jabra UC VOICE™ 150a Duo	75 Jabra SPEAK™ 410	76 Jabra SPEAK™ 810	78 Jabra SPEAK™ 510
CONNECTIVITY/ NOISE ENVIRONMENT						
MICROPHONE/ BOOM ARM	Noise Cancelling	Noise Cancelling	Noise Cancelling	Omni Directional	Zoom Technology	Omni Directional
SPEAKERS	Mono/Duo	Duo	Mono/Duo	Mono	Mono	Mono
						
JABRA MODEL	79 Jabra SPEAK™ 510+	120 Jabra HANDSET 450 for Cisco 121 Jabra HANDSET 450 for Cisco	130 Jabra BIZ™ 2300 Mono 131 Jabra BIZ™ 2300 Duo	136 Jabra BIZ™ 2300 USB 137 Jabra BIZ™ 2300 USB	150 Jabra Evolve 20 Mono 151 Jabra Evolve 20 Stereo	152 Jabra Evolve 30 UC Mono 153 Jabra Evolve 30 UC Stereo
CONNECTIVITY/ NOISE ENVIRONMENT						
MICROPHONE/ BOOM ARM	Omni Directional	Omni Directional	Noise Cancelling/ FreeSpin	Noise Cancelling/ FreeSpin	Noise Cancelling	Noise Cancelling
SPEAKERS	Mono	Mono	Mono/Duo	Mono/Duo	Mono/Duo	Mono/Duo
						
JABRA MODEL	154 Jabra Evolve 40 UC Mono 155 Jabra Evolve 40 UC Stereo	158 Jabra Evolve 80 UC Stereo				
CONNECTIVITY/ NOISE ENVIRONMENT						
MICROPHONE/ BOOM ARM	Noise Cancelling	Noise Cancelling				
SPEAKERS	Mono/Duo	Duo				



ORDERING INFORMATION



WIRELESS SOLUTIONS			EMEA ITEM NO#	UK ITEM NO#	NA ITEM NO#	APAC ITEM NO#
Jabra PRO™ 9470	NB	1	9470-26-904-101	9470-26-904-102	9470-66-904-105	9470-26-904-102 or -103
Jabra PRO™ 9465	NC Duo	2	9465-29-804-101	9465-29-804-102	9465-69-804-105	9465-29-804-102 or -103
Jabra PRO™ 9460	NC Mono	3	9460-25-707-101	9460-25-707-102	9460-65-707-105	9460-25-707-102 or -103
Jabra PRO™ 9460 Duo	NC Duo	4	9460-29-707-101	9460-29-707-102	9460-69-707-105	9460-29-707-102 or -103
Jabra PRO™ 9450	NC Mono Midi	5	9450-25-507-101	9450-25-507-102	9450-65-507-105	9450-25-507-102 or -103
Jabra PRO™ 9450 Flex	NC Mono Flex	6	9450-25-707-101	9450-25-707-102	9450-65-707-105	9450-25-707-102 HK/SG; -103 AU/NZ; -106 JP
Jabra PRO™ 9450 Duo	NC Duo Flex	7	9450-29-707-101	9450-29-707-102	9450-69-707-105	9450-29-707-102 or -103
Jabra PRO™ 920	NC	10	920-25-508-101	920-25-508-102	920-65-508-105	920-25-508-102 or -103
Jabra PRO™ 920 Duo	NC	161	920-29-508-101	920-29-508-102	920-69-508-105	920-29-508-102 or -103
Jabra PRO™ 925	NC	8	925-15-508-201	925-15-508-202	925-15-508-205	925-15-508-202 HK/SG; -203 AU/NZ
Jabra PRO™ 925 2G4	NC		N/A	N/A	925-15-508-185	925-15-508-185 or 182
Jabra PRO™ 930	NC	11	930-25-509-101	930-25-509-102	930-65-509-105	930-25-509-102 or -103
Jabra PRO™ 930 duo	NC	162	930-29-509-101	930-29-509-102	930-69-509-105	930-29-509-102 or -103
Jabra PRO™ 935	NC	9	935-15-509-201	935-15-509-202	935-15-509-205	935-15-509-202 HK/SG; -203 AU/NZ
Jabra PRO™ 935 2G4	NC		N/A	N/A	935-15-509-185	935-15-509-182 or 185
Jabra Stealth UC	NB	140	5578-230-109	5578-230-109	5578-230-109	5578-230-109
Jabra MOTION UC	NB	13	6630-900-101	6630-900-102	6630-900-105	6630-900-102 HK/SG; -103 AU/NZ
Jabra MOTION UC with Travel & charge kit	NB	14	6640-906-101	6640-906-102	6640-906-105	6640-906-102 HK/SG; -103 AU/NZ
Jabra MOTION Office	NC	15	6670-904-101	6670-904-102	6670-904-105	6670-904-103
Jabra GN9120 FLEX	NC Mono EHS (cable incl.)	16	9120-28-11	9120-28-11	9125-28-15	N/A
Jabra GN9120 FLEX	NC Duo EHS (cable incl.)	17	9129-808-111	N/A	9129-808-215	N/A
Jabra GN9120 FLEX	NC Mono	18	9120-28-01	9120-28-02	9125-28-15	N/A
Jabra GN9120 FLEX	NC Duo	19	9129-808-101	9129-808-101	9129-808-215	N/A
Jabra GN9120 MIDI	OD EHS (cable incl.)	20	9120-48-11	9120-48-11	9125-48-15	N/A
Jabra GN9120 MIDI	OD	21	9120-48-01	9120-48-02	9125-48-15	N/A
Jabra Evolve 65	Mono	156	6593-829-309	6593-829-309	6593-829-309	6593-829-309
Jabra Evolve 65	Stereo	157	6599-829-409	6599-829-409	6599-829-409	6599-829-409
CORDED SOLUTIONS			EMEA ITEM NO#	UK ITEM NO#	NA ITEM NO#	APAC ITEM NO#
Jabra BIZ™ 2400 II	NC Mono	28	2406-820-204	2406-820-204	2403-820-205	2403-820-205
Jabra BIZ™ 2400 ii	NC Duo	30	2409-820-204	2409-820-204	2409-820-205	2409-820-205
Jabra BIZ™ 2400 II USB	NC Mono	31	2496-829-209	2496-829-209	2496-829-209	2496-829-209
Jabra BIZ™ 2400 II USB	NC Duo	32	2499-829-209	2499-829-209	2499-829-209	2499-829-209
Jabra GN2100	OD Mono	35	2126-02-04	2126-02-04	01-0241	N/A
Jabra GN2100	OD Duo	36	2129-02-04	2129-02-04	01-0245	N/A
Jabra GN2100	NC Mono	37	2126-82-04	2126-82-04	01-0243	N/A
Jabra GN2100	NC Duo	38	2129-82-04	2129-82-04	01-0247	N/A
Jabra GN2000	OD Mono	39	2003-320-104	2003-320-104	2003-320-105	2003-320-103
Jabra GN2000	OD Duo	40	2009-320-104	2009-320-104	2009-320-105	2009-320-103
Jabra GN2000	NC Mono	41	2003-820-104	2003-820-104	2003-820-105	2003-820-103
Jabra GN2000	NC Duo	42	2009-820-104	2009-820-104	2009-820-105	2009-820-103
Jabra GN2000 USB	NC Mono	43	20001-432	20001-432	20001-432	20001-432
Jabra GN2000 USB	NC Duo	44	20001-492	20001-492	20001-492	20001-492
Jabra GN2000 USB	NC Mono CIPC	45	20001-436	20001-436	20001-436	20001-436
Jabra GN2000 USB	NC Duo CIPC	46	20001-496	20001-496	20001-496	20001-496
Jabra BIZ™ 1900	NC Mono	49	1983-820-104	1983-820-104	1983-820-105	1983-820-105
Jabra BIZ™ 1900	NC Duo	50	1989-820-104	1989-820-104	1989-820-105	1989-820-105

CORDED SOLUTIONS			EMEA ITEM NO#	UK ITEM NO#	NA ITEM NO#	APAC ITEM NO#
Jabra BIZ™ 1900 USB	NC Mono	51	1983-829-104	1983-829-104	1983-829-107	1983-829-107
Jabra BIZ™ 1900 USB	NC Duo	52	1989-829-104	1989-829-104	1989-829-107	1989-829-107
Jabra UC VOICE™ 750a	NC Mono Light	61	7593-829-209	7593-829-209	7593-829-209	7593-829-209
Jabra UC VOICE™ 750a	NC Mono Dark	62	7593-829-409	7593-829-409	7593-829-409	7593-829-409
Jabra UC VOICE™ 750a	NC Duo Dark	63	7599-829-409	7599-829-409	7599-829-409	7599-829-409
Jabra UC VOICE™ 750a	NC Duo Light	64	7599-829-209	7599-829-209	7599-829-209	7599-829-209
Jabra UC VOICE™ 550a	NC Mono	65	5593-829-209	5593-829-209	5593-829-209	5593-829-209
Jabra UC VOICE™ 550a	NC Duo	66	5599-829-209	5599-829-209	5599-829-209	5599-829-209
Jabra UC VOICE™ 250a	NC Mono	67	2507-829-209	2507-829-209	2507-829-209	2507-829-209
Jabra UC VOICE™ 150a	NC Mono	68	1593-829-209	1593-829-209	1593-829-209	1593-829-209
Jabra UC VOICE™ 150a	NC Duo	69	1599-829-209	1599-829-209	1599-829-209	1599-829-209
Jabra Evolve 20 UC	Mono	150	4993-829-209	4993-829-209	4993-829-209	4993-829-209
Jabra Evolve 20 UC	Stereo	151	4999-829-209	4999-829-209	4999-829-209	4999-829-209
Jabra Evolve 30 UC	Mono	152	5393-829-209	5393-829-209	5393-829-209	5393-829-209
Jabra Evolve 30 UC	Stereo	153	5399-829-209	5399-829-209	5399-829-209	5399-829-209
Jabra Evolve 40 UC	Mono	154	6393-829-209	6393-829-209	6393-829-209	6393-829-209
Jabra Evolve 40 UC	Stereo	155	6399-829-209	6399-829-209	6399-829-209	6399-829-209
Jabra Evolve 80 UC	Stereo	158	7899-829-209	7899-829-209	7899-829-209	7899-829-209
Jabra SPEAK™ 410	OD	75	7410-209	7410-209	7410-209	7410-209
Jabra SPEAK™ 510	OD	78	7510-209	7510-209	7510-209	7510-209
Jabra SPEAK™ 510+	OD	79	7510-409	7510-409	7510-409	7510-409
Jabra SPEAK™ 810	ZT	76	7810-209	7810-209	7810-209	7810-209
Jabra HANDSET 450	Dark	120	990-011-04	990-011-04	990-011-05	990-011-04
Jabra HANDSET 450	Light	121	990-012-04	990-012-04	990-012-05	990-012-04
Jabra BIZ™ 2300	NC Mono	130	2303-820-104	2303-820-104	2303-820-105	2303-820-105
Jabra BIZ™ 2300	NC Duo	131	2309-820-104	2309-820-104	2309-820-105	2309-820-105
Jabra BIZ™ 2300 USB	USB NC Mono	136	2393-829-109	2393-829-109	2393-829-109	2393-829-109
Jabra BIZ™ 2300 USB	USB NC Duo	137	2399-829-109	2399-829-109	2399-829-109	2399-829-109
ADAPTERS			EMEA ITEM NO#	UK ITEM NO#	NA ITEM NO#	APAC ITEM NO#
Jabra LINK™ 14201-16	EHS Adapter	83	14201-16	14201-16	14201-16	14201-16
Jabra LINK™ 14201-22	EHS Adapter	87	14201-22	14201-22	14201-22	14201-22
Jabra LINK™ 14201-30	EHS Adapter	88	14201-30	14201-30	14201-30	14201-30
Jabra LINK™ 14201-41	EHS Adapter	94	14201-41	14201-41	14201-41	14201-41
Jabra LINK™ 14201-43	EHS Adapter	107	14201-43	14201-43	14201-43	14201-43
Jabra LINK™ 220		95	220-19	220-19	220-19	220-19
Jabra LINK™ 280		96	280-09	280-09	280-09	280-09
Jabra LINK™ 850		97	850-09	850-09	850-09	850-09
Jabra LINK™ 860		98	850-09	850-09	850-09	850-09
Jabra GN8210		101	82102-01	82102-02	82102-05	82102-03
Jabra GN1200		104	88011-99	88011-99	88011-99	88011-99
Jabra GN DanaSwitch		106	1600-719	1600-719	1600-719	1600-719
Jabra GN1000		108	1000-04	01-0397	01-0369	01-0397
CONNECTOR CABLES			EMEA ITEM NO#	UK ITEM NO#	NA ITEM NO#	APAC ITEM NO#
(QD-Jack 2,5mm)		110	8800-00-46	8800-00-46	1005143	1005143
(RJ9-Jack 2,5mm)		112	8800-00-75	8800-00-75	8800-00-75	8800-00-75
(QD-Jack 3,5mm)		115	8800-00-87	8800-00-87	8800-00-87	8800-00-87
(QD-jack 2.5mm)	4 Pole Jack	116	8800-00-79	8800-00-79	8800-00-79	8800-00-79
(QD-2x 3,5mm Jack)		117	8734-599	8734-599	8734-599	8734-599
(RJ9 to QD)		118	8800-01-01	8800-01-01	1003945	1003945

NC = Noise-cancelling
OD = Omni Directional
NB = NoiseBlackout™
ZT = Zoom Technology
N/A = Not available

