

# Jabra Pro 9460 Duo

## How do I connect my headset with my Aastra Open Phone 63 or 65?

### Requirements:

Jabra 8800-00-93

AZ adapter (from Aastra/DeTeWe)


DeTeWe Open Phone 63 or 65

OpenCom 100 from software 5.2

OpenCom 1000 from software 3.2

### To connect the headset please follow these steps:

1. Plug one end of the RJ10 to RJ10 4-pin cable to the socket marked with the phone symbol on the Jabra device base.
2. Plug the other end of that cable into the headset port of the AZ adapter.
3. Plug one end of the 8-pin RJ45 connector of the Jabra 8800-00-93 to the AUX port on the Jabra device base.
4. Plug the hollow socket connector to the socket marked with the bell symbol on the AZ adapter.
5. Plug the 6-pin western connector into the second receiver socket on the AZ adapter.
6. Follow the instructions on the Jabra device touchscreen:
7. Select **Phone setting**.
8. Select **Connect to a desk phone**.
9. Select **Manual**.




10. Select adapter type **GN1000**.

11. On the base, select phone setup switch position **A**.



12. We recommend setting the microphone volume to **7** out of 13.



### **Guided setup:**

As a part of the installation, you can dial into your local Jabra Setup server which will configure the audio path. Please follow the instructions shown on the display. If your Jabra Setup server is unavailable, please contact your local Jabra Support team.

### **Phone Setup:**

Activate the “Remote Headset” function on your Open Phone device.  
Enter the following key combination on your Open Phone 63/65:  
Menu>Settings>Peripherals>Additional device selection>Remote  
Headset.