

Jabra Pro 9450 Duo

How to connect my Jabra Pro 9450 with Aastra Open Phone 63 and 65.

Prerequisite:

Jabra Pro 9450 + Jabra 8800-00-93 + Aastra AZ – adapter

In combination with one of the following phones:

- Open Phone 63 / 65

Phone:

- Open Com 100 from EHS 5.2
- Open Com 1000 from EHS 3.2

Connection:

1. Connect the supplied 4-pin RJ10 to RJ10 connection cable with the socket marked “ phone” on the base of the Jabra Pro 94x0 and the other end with the “handset” socket on the AZ adapter.
2. Now insert the 8-pin RJ45 plug of the Jabra 8800-00-93 connection cable in the "AUX" socket on the Jabra Pro 94x0 base.
3. Please connect the hollow socket connector to the socket on the AZ adapter marked with the “ bell” symbol and the 6-pin modular plug in the "second headset" socket of the AZ adapter.

You now have the option of setting up the headset on your phone via the automatic or manual configuration.

Automatic configuration:

To start the automatic configuration, have someone call you on this phone and wait at least 10 seconds before taking the call. The appropriate EHS mode should now be installed.


If the automatic configuration has not worked, please select RHL mode manually.

Base setup:


Manually: select the EHS mode "GN1000"

Base setup:

Set the phone set-up switch to position "A".

**Microphone level setup:**

Remove the cover from the base of the Jabra Pro 9450 and make a call with the headset, to a colleague for example. If you are too loud or too quite to the person you are calling, please use the volume adjuster until you achieve the optimum volume level.



Setting on the OpenPhone 63/65:

Activate the "remote headset" function in your OpenPhone phone as follows.

Please enter the following button combination in your OpenPhone 63/65:

> MENU > SETTINGS > PERIPHERALS > additional phone selection > "REMOTE HEADSET"